



# GARLOCK BEARINGS LTD



3MMC206WI DUH Bearing 2D drawings and 3D CAD models

1.181 Inch | 30 Millimeter x 2.441 Inch | 62 Millimeter x 1.26 Inch | 32 Millimeter TIMKEN 3MMC206WI DUH Precision Ball Bearings

Bearing No. 3MMC206WI DUH

|                      |   |
|----------------------|---|
| Category             | Precision Ball Bearings   |
| Inventory            | 0.0   |
| Manufacturer Name    | TIMKEN  |
| Minimum Buy Quantity | N/A   |
| Weight               | 0.337   |
| EAN                  | 0087796350885   |
| Product Group        | B04270  |
| Enclosure            | Open  |
| Precision Class      | ABEC 7   ISO P4   |
| Material - Ball      | Ceramic   |
| Number of Bearings   | 2 (1 Pair)  |
| Contact Angle        | 25 Degree   |
| Preload              | Heavy   |
| Raceway Style        | 1 Rib Outer Ring  |
| Cage Material        | Phenolic  |
| Rolling Element      | Ball Bearing  |
| Mounting Arrangement | Duplex-Universal  |
| Flush Ground         | Yes   |
| Inch - Metric        | Metric  |
| Other Features       | Single Row   Angular Contact   Super High Precision   Hybrid   Corrosion Resistant Ball |
| Long Description     | 30MM Bore; 62MM Outside Diameter; 32MM Width; Open Enclosure;                           |



## GARLOCK BEARINGS LTD

|                          |   |
|--------------------------|---|
|                          | ABEC 7   ISO P4 Precision;<br>Ceramic Ball Material; 2 (1<br>Pair) Bearings; 25 Degree<br>Contact Angle; Phenolic<br>Cage Material; 1 Rib Outer<br>Ring R |
| Category                 | Precision Ball Bearings   |
| UNSPSC                   | 31171531  |
| Harmonized Tariff Code   | 8482.10.50.28   |
| Noun                     | Bearing   |
| Keyword String           | Angular Contact Ball  |
| Manufacturer URL         | <a href="http://www.timken.com">http://www.timken.com</a>   |
| Manufacturer Item Number | 3MMC206WI DUH   |
| Weight / LBS             | 0.742   |
| d                        | 1.181 Inch   30 Millimeter  |
| D                        | 2.441 Inch   62 Millimeter  |
| B                        | 1.26 Inch   32 Millimeter   |